10/15/2018

Supplier Name	\$20.80 McMaster- Carr Supply Co,	\$31.20 McMaster- Carr Supply Co,	\$10.82 McMaster- Carr Supply Co,	\$26.16 McMaster- Carr Supply Co,	McMaster- Carr Supply Co,	\$98.30 McMaster- Carr Supply Co,	McMaster- Carr Supply Co,	McMaster- Carr Supply Co,	McMaster- Carr Supply Co,	\$67.46 McMaster- Carr Supply Co,	McMaster- Carr Supply Co,
Total	\$20.80	\$31.20	\$10.82	\$26.16	\$64.20	\$98.30	\$4.91	\$18.24	\$5.56	\$67.46	\$10.34
Past Due											
Aging Days	0	0	0	0	0	0	0	0	0	0	0
Price/Unit	\$ 5.20 / Ea	\$ 5.20 / Ea	\$ 0.05 / Ea	\$ 0.13 / Ea	\$3.21 / Ea	10/15/2018 \$ 9.83 / pcs	\$ 0.49 / Ea	\$ 4.56 / Ea	\$ 0.93 / Ea	10/15/2018 \$ 33.73 / Ea	\$ 1.03 / Ea
Receive Date	10/15/2018 \$ 5.20 / Ea	10/15/2018 \$ 5.20 / Ea	10/15/2018 \$ 0.05 / Ea	10/15/2018 \$ 0.13 / Ea	10/15/2018	0/15/2018	10/15/2018 \$ 0.49 / Ea	10/15/2018 \$ 4.56 / Ea	10/15/2018	0/15/2018	10/15/2018
Status	Stock 1	Stock 1	Stock	Stock	Stock 1	Stock 1	Stock 1	Stock 1	Stock	Stock 1	Stock 1
Container No	S118191	S118240	S118218	S118227	S118246	S118247	S118239	S118232	S118231	S118193	S118214
Received Accounting Quantity Job No											
Received A Quantity	4	9	200	200	20	10	10	4	Ø	2/	10
Date	10 10/12/2018										
Order	10		200		20	10		4	9	7	10
Equipment ID											
roject											
Part P											
Description Part Project Equipment Order	Shoulder		White Nylon Washer, 0.12"" ID x 0.28"" OD Color: white	Steel Hex Head Thread- Forming Screw #4-40 x 3/8""	Extension Spring Stud Anchor, 8-32 Thread Size receive ea	Cord Grip	O-Ring receive	Handle	Compression Spring Ø0.072 WIRE x Ø0.563 OD x 1-3/8 receive	Magnetic Base	External Snap Ring Ø17mm receive ea
Purchased Item	90263A112			RB 92700-10350-	9634K22	<u>d</u>	80		1986K124 (0	2214A5	90967A210
Terms	2% 10 9 Net 30		. 0	<u> </u>	O)	J.	-	-		2	6
Se Se	+ Z		5	m	4	r)	0	- ω	o	10	=
Supplier Item No	CM001-										
PO No St	PO041296 MCM001-										

1/2

Plex 10/15/2018 3:08 PM dart. Tollis. Andrew

3
X
C
U.
S.
8
0
150
)7(
366
E
Ä
90
38
a d
38
3-4
393
T,
4F
8
8B
F6
1
é
X
0
SS
Se
0
en
dC
03
as
N
er
ew
-
-
ort
sport \
/Report \
Irol/Report
ontrol/Report \
Control/Report
us_Control/Report_\
exus_Control/Report_\
//Plexus_Control/Report_
C0/Plexus_Control/Report_\
200
7050
607050
F6607050
6607050
C-ECF6607050
-ECF6607050
3-8B9C-ECF6607050
9C-ECF6607050
-43BB-8B9C-ECF6607050
93-43BB-8B9C-ECF6607050
B93-43BB-8B9C-ECF6607050
B93-43BB-8B9C-ECF6607050
04F-FB93-43BB-8B9C-ECF6607050
BC04F-FB93-43BB-8B9C-ECF6607050
68BC04F-FB93-43BB-8B9C-ECF6607050
BC04F-FB93-43BB-8B9C-ECF6607050
om/F68BC04F-FB93-43BB-8B9C-ECF6607050
e.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
om/F68BC04F-FB93-43BB-8B9C-ECF6607050
nline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
e.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
xonline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
xonline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
://www.plexonline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
xonline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050
s://www.plexonline.com/F68BC04F-FB93-43BB-8B9C-ECF6607050

Supplier Name	McMaster- Carr Supply	\$10.42 McMaster- Carr Supply Co,	\$31.84 McMaster- Carr Supply Co.	\$18.99 McMaster- Carr Supply	\$8.58 McMaster- Carr Supply Co.	\$18.48 McMaster- Carr Supply	\$90.45 McMaster- Carr Supply Co.	\$11.70 McMaster- Carr Supply	McMaster- Carr Supply Co,	\$228.52 McMaster- Carr Supply Co.	\$230.50 McMaster- Carr Supply Co,	\$337.30 McMaster- Carr Supply	
Total	\$7.94	\$10.42	\$31.84	\$18.99	\$8.58	\$18.48	\$90.45	\$11.70	\$8.32	\$228.52	\$230.50	\$337.30	\$1,361.03
Past Due													69
Aging Days	0	0	0	0	0	0	0	0	0	0	0	0	
Price/Unit Aging P	10/15/2018 \$ 0.40 / Ea	10/15/2018 \$ 0.04 / Ea	10/15/2018 \$ 3.98 / Ea	\$ 1.27 / Ea	\$ 0.17 / Ea	10/15/2018 \$ 1.85 / Ea	10/15/2018 \$ 90.45 / Ea	10/15/2018 \$ 1.17 / Ea	10/15/2018 \$ 0.83 / pcs	\$ 114.26 / pcs	10/15/2018 \$ 23.05 / Ea	10/15/2018 \$ 33.73 / Ea	
Receive Date	10/15/2018	10/15/2018	10/15/2018	10/15/2018	10/15/2018	10/15/2018	10/15/2018	0/15/2018	0/15/2018	10/15/2018 \$ 114.26 pcs	0/15/2018	0/15/2018	
Status	Stock	Stock	Stock	Stock	Stock	Stock	Stock	Stock	Stock	Stock	Stock 1	Stock 1	П
Received Accounting Container Quantity Job No No	S118236	\$118204	S118230	S118220	\$118207	S118201	S118192	S118229	S118242	S118468	S118194	S118195	
Accounting Job No													
Received	20	250	8	15	20	10	4.	10	10	2	10	10	868
Due													
Order	20	250	00	.15	20	10	-	10		2	10		898
Equipment Order ID Qty				161									Total:
For Part No													
Description Part Project No	Hex Bolt 5/16"" Nc X 2 3/4"" Plated receive	Steel Spring Pin 1/8"" Dia. x 7/16"" Lg.	Steel Hex Head Screw 7/8"-14 x 2"" Lg.	Flat Washer 1/4"* ID receive ea	Steel External Retaining Ring for 7/8" OD.	External Retaining Ring for 2-7/8"" OD.	1"" Dial Indicator 0"" to 1"" Range	Lifting Bolt Nut	Lifting Bolt Washer	M-Defrin Round Bar, White	Dial Indicator	Magnetic Base & Attachments	
Purchased Item	91247A594	90692A693	92620A924	93286A044	97633A270	97633A475	AGD-2	C10-32	C10-33	MDELRINR6.000W M-Defrin Round Bi White	RBE-350TDRS-1	RBE-350TDRS-3	
Terms					<i>31</i>	J.				e	<u> </u>	L.	
Rel No	12	13	4	5	16	71	18	19	50	-	N	23	
Supplier Item									N	21	22	N	
PO No S													

Print

10/15/2018



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO041296

Tel (613) 632-5200

Supplier:

MCM001-VU

McMaster-Carr Supply Co,

P.O. Box 7690

Chicago, IL 60680-7690 USA Phone: 330 995 5500

Fax: 330 995 9600

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 PO No:

PO041296

PO Date:

10/10/18

Due Date:

10/12/18

Purchase Order Revision:

Revision Date: Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Via:

Ground

Pymt Terms:

2% 10 Net 30

Freight Terms:

Special Comments:

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date		Received Quantity	Balance	Unit Price (USD)	Extended Price
(1)		90263A112	1/pk	Shoulder Screw	Firmed OCT 1	- 5 2018	10/12/18	10 Ea	0 Ea		\$5.20/Ea	\$52.00
(2)		RB 92700-10350- 041-8	90295A362 100/pk		Firmed	· >×	10/12/18 OCT 15	200 Ea	0 Ea	200 Ea	\$0.0541/Ea	\$10.82
3		RB 92700-10350- 041-9	93882A108 50/PK	Steel Hex Head Thread- Forming Screw #4-40 x 3/8" Long	Firmed		10/12/18	200 Ea	0 Ea	200 Ea	\$0.1308/Ea	\$26.16
4		9634K22	1/pk	Extension Spring Stud Anchor, 8-32 Thread Size receive ea	Firmed	· ×	10/12/18 OCT 1	20 Ea 5 2018 <u>/</u>	0 Ea	20 Ea	\$3.21/Ea	\$64.20
(5)		CORD GRIP	8183K6 1/pk	Cord Grip	Firmed (O >	OCT	10/12/18	10 pcs	0 pcs	10 pcs	\$9.83/pcs	\$98.30
(6)		1174N608	10/pk	O-Ring receive ea	Firmed	N. OCT	10/12/18	10 Ea	0 Ea	10 Ea	\$0.491/Ea	\$4.91
7		16823		Giant Swiss Arm w/o Mag. Base	Firmed	_~001	10/17/18	1 Ea	0 Ea	1 Ea	\$435.76/Ea	\$435.76
8		1897A59		Handle	Firmed	-	10/12/18 OCT 1	4 Ea	O Ea	4 Ea	\$4.56/Ea	\$18.24



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO041296

Tel (613) 632-5200

					Ite	ms						
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity		Unit Price (USD)	Extende Price
9)		1986K124	6/pk	Compression Spring Ø0.072 WIRE x Ø0.563 OD x 1-3/8 receive ea	Firmed 6 X		1 5 201	6 Ea	0 Ea	6 Ea	\$0.926666/Ea	\$5.5
10		2214A5	1/pk	Magnetic Base	Firmed	0	10/12/18 C OC	2 Ea T 15 20	0 Ea	2 Ea	\$33.73/Ea	\$67.4
11)		90967A210	5/pk	External Snap Ring Ø17mm receive ea	Firmed		10/12/18 OCT	10 Ea	8 0 Ea	10 Ea	\$1.034/Ea	\$10.3
12)		91247A594	10/pk	Hex Bolt 5/16" Nc X 2 3/4" Plated receive ea	Firmed	· ×	10/12/18 OCT	20 Ea 1 5 2018	8 Ea	20 Ea	\$0.397/Ea	\$7.9
13)		90692A693	250/pk	Steel Spring Pin 1/8" Dia. x 7/16" Lg.	Firmed	- OCT	10/12/18	250 Ea	0 Ea	250 Ea	\$0.04168/Ea	\$10.4
14)		92620A924	1/pk	Steel Hex Head Screw 7/8"-14 x 2" Lg.	Firmed	- 8x	10/12/18 OCT 15	8 Ea	S Ea	8 Ea	\$3.98/Ea	\$31.8
15)		93286A044	5/pk	Flat Washer 1/4" ID receive ea	Firmed (5	- - y 01	10/12/18 CT 152	15 Ea	80 Ea	15 Ea	\$1.266/Ea	\$18.9
16		97633A270	50/pk	Steel External Retaining Ring for 7/8" OD.	Firmed		1 5 2018	50 Ea	0 Ea	50 Ea	\$0.1716/Ea	\$8.58
17		97633A475	5/pk	External Retaining Ring for 2- 7/8" OD.	Firmed	- OCT 1	10/12/18 5 2018	10 Ea	0 Ea	10 Ea	\$1.848/Ea	\$18.48
18		AGD-2	2092A42 1/pk	1" Dial Indicator 0" to 1" Range	Firmed	· 1×	10/12/18 UL 1	1 Ea	SEa.	1 Ea	\$90.45/Ea	\$90.45
19		C10-32	97190A035 5/pk	Lifting Bolt Nut	Firmed (O)		10/12/18	10 Ea	0 Ea	10 Ea	\$1.17/Ea	\$11.70
20)		C10-33	98017A220 10/pk	Lifting Bolt Washer	Firmed	- OCT	10/12/18	10 pcs	0 pcs	10 pcs	\$0.832/pcs	\$8.32



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO041296

Tel (613) 632-5200

				Iter	ms						
Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity		-	Unit Price (USD)	Extended Price
	MDELRINR6.000W	8582K48	M-Delrin Round Bar, White			10/12/18 18	2 pcs	0 pcs J√	2 pcs	\$114.26/pcs # 18/10/15	
e 4 pc	s of 6"										
	RBE-350TDRS-1	20715A69 1/pk	Dial Indicator	Firmed (O	- OC	T10418/120	18 10 Ea	0 Ea	10 Ea	\$23.05/Ea	\$230.50
	RBE-350TDRS-3	2214A5 1/pk	Magnetic Base & Attachments	-		10/12/18 CT 157	10 Ea	0 Ea	10 Ea	\$33.73/Ea	\$337.30
	MDELRINR4.000W	8582k28 6" per pcs	M-Delrin Round Bar, White	Firmed	•	10/12/18	6 Ea	0 Ea	6 Ea	\$48.42/Ea	\$290.52
e 6 pcs	s of 4"									Grand Total:	
	e 4 pcs	MDELRINR6.000W 4 pcs of 6" RBE-350TDRS-1	MDELRINR6.000W 8582K48	MDELRINR6.000W 8582K48 M-Delrin Round Bar, White	Supplier Part No Description Status	MDELRINR6.000W 8582K48 M-Delrin Round Bar, White OCT 15 20	Note	Note	Job Part Supplier Part No Description Status Account Due Date Quantity Quantity Quantity Quantity MDELRINR6.000W 8582K48 M-Delrin Round Bar, White OCT 15 2018 2 pcs 0 pcs 2	Job Part Part No Description Status Account Due Date Quantity Quantity Balance	Note

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 DOCUMENT SPECIAL REQUIREMENTS

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 10/10/18 11:24 AM dart.lavoie.chantal



200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041296

Order Placed By Chantal Lavoie

McMaster-Carr Number 2439091-02

Page 1 of 1 10/10/2018

	2439091-02		
P	roduct	Ordered S	Shipped
2214A5 / Jo	ointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull	2 Each	2/
20715A69 D	ial Plunger-Style Variance Indicator with 0" to 1" Measuring Range	10 Each	10
2214A5 J	Sinted-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull	10 Each	10 /
oped separate	ly from our Chicago warehouse on 10/10		
		der 10 Each	4
2092A42 P	lunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2	1 Each	1
and to obin			
	iant Swiss Arm Only, 19" Total Height #16823	1 Each	1 Oct 17-23
	2214A5	Product 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 20715A69 Dial Plunger-Style Variance Indicator with 0" to 1" Measuring Range 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb	2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2 Each 20715A69 Dial Plunger-Style Variance Indicator with 0" to 1" Measuring Range 10 Each 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 10 Each 209263A112 316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2



200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041296

Page 1 of 2 10/10/2018

Order Placed By
Chantal Lavoie
McMaster-Carr Mumber

1	2439091-01 (/	Ordered	Shipped
		10 Each	4/
2092A42	Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2	1 Each	1
pped separa	ately from our Cleveland warehouse on 10/10		and the second s
90263A112	316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread	10 Each	6
90295A362	Nylon Plastic Washer for Number 4 Screw Size, 0.12" ID, 0.28" OD, Off-White	2 Packs	2
93882A108	Hex Head Thread-Forming Screws for Metal, External Hex/Slotted Drive, 4-40 Thread, 3/8" Long	4 Packs	4
9634K22	Extension Spring Stud Anchor, 8-32 Thread Size	20 Each	20
8183K6	Brass Submersible Cord Grip, Metric Threads, for 0.12"-0.2" Cord OD, M8 Knockout Size	10 Each	10
1174N608	Oil-Resistant Soft Buna-N O-Rings, 3 mm Wide, 30 mm ID	1 Pack	1
1897A59	Oval Grip Pull Handle with Threaded Holes, Aluminum, 4-9/16" Center-to-Center Width	4 Each	4
1986K124	302 Stainless Steel Corrosion-Resistant Compression Springs, 1.375" Long, 0.563" OD, 0.419" ID	1 Pack	1
2214A5	Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull	2 Each	2
90967A210	External Retaining Ring for 17 mm OD, DIN 1.4122 Stainless Steel	2 Packs	2
91247A594	Medium-Strength Grade 5 Steel Hex Head Screw, Zinc-Plated, 5/16"-18 Thread, 2-3/4" Long, Partially Threaded	2 Packs	2
90692A693	Zinc-Plated Steel Slotted Spring Pins, 1/8" Diameter, 7/16" Long	1 Pack	1
	2092A42 (pped separa 90263A112 90295A362 93882A108 9634K22 8183K6 1174N608 1897A59 1986K124 2214A5 90967A210	Product 90263A112 216 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread 2092A42 LePlunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 Deed separately from our Cleveland warehouse on 10/10 90263A112 316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread 90295A362 Nylon Plastic Washer for Number 4 Screw Size, 0.12" ID, 0.28" OD, Off-White 93882A108 Hex Head Thread-Forming Screws for Metal, External Hex/Slotted Drive, 4-40 Thread, 3/8" Long 9634K22 Extension Spring Stud Anchor, 8-32 Thread Size 8183K6 Brass Submersible Cord Grip, Metric Threads, for 0.12"-0.2" Cord OD, M8 Knockout Size 1174N608 Oil-Resistant Soft Buna-N O-Rings, 3 mm Wide, 30 mm ID 1897A59 Oval Grip Pull Handle with Threaded Holes, Aluminum, 4-9/16" Center-to-Center Width 1986K124 302 Stainless Steel Corrosion-Resistant Compression Springs, 1.375" Long, 0.563" OD, 0.419" ID 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 90967A210 External Retaining Ring for 17 mm OD, DIN 1.4122 Stainless Steel	Product Ordered 90263A112.816 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2 1 Each 2092A3112 316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder Length, M2 x 0.4 mm Thread 30295A362 Nylon Plastic Washer for Number 4 Screw Size, 0.12" ID, 0.28" OD, Off-White 2 Packs 93882A108 Hex Head Thread-Forming Screws for Metal, External Hex/Slotted Drive, 4-40 Thread, 3/8" Long 9634K22 Extension Spring Stud Anchor, 8-32 Thread Size 20 Each 2174N608 Oil-Resistant Soft Buna-N O-Rings, 3 mm Wide, 30 mm ID 1 Pack 1897A59 Oval Grip Pull Handle with Threaded Holes, Aluminum, 4-9/16" Center-to-Center Width 4 Each 1986K124 302 Stainless Steel Corrosion-Resistant Compression Springs, 1.375" Long, 0.563" OD, 0.419" ID 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2214A5 Jointed-Arm Magnetic-Base Indicator Holder with 132 lb. Magnetic Pull 2224A74594 Medium-Strength Grade 5 Steel Hex Head Screw, Zinc-Plated, 5/16"-18 Thread, 2-3/4" Packs 90692A693 Zinc-Plated Steel Slotted Spring Pins, 1/8" Diameter, 7/16" Long 1

200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com

Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041296

Order Placed By Chantal Lavoie

McMaster-Carr Number 2439091-01

Page 2 of 2 10/10/2018

Ordered 8 Packs 3 Packs 1 Pack 2 Packs R 2 Packs	8 3 1 2 2 1
Packs 3 Packs 1 Pack 2 Packs 2 Packs	3 1 2 2
Packs 1 Pack 2 Packs 2 Packs 1	2
Pack Packs 2 Packs 2 Packs	2
Packs 2 Packs OR 1	2
Packs OR 1	
	1
2 Each	2
10 Each	10
10 Each	10
	Each 10 Each



200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041296

Order Placed By Chantal Lavoie

McMaster-Carr Number 2439091-03

Page 1 of 2 10/10/2018

		•	2433031-03		
Line	/	Product		Ordered	Shipped
1 0	90263A112	316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 Length, M2 x 0.4 mm Thread	mm Shoulder	10 Each	6
2 /	90295A362	Nylon Plastic Washer for Number 4 Screw Size, 0.12" ID, 0.28" OD, Off-Wh 100	ite, Packs of	2 Packs	2
3	93882A108	Hex Head Thread-Forming Screws for Metal, External Hex/Slotted Drive, 4-43/8" Long, Packs of 50	40 Thread,	4 Packs	4
U	9634K22	Extension Spring Stud Anchor, 8-32 Thread Size		20 t Each	20
	8183K6	Brass Submersible Cord Grip, Metric Threads, for 0.12"-0.2" Cord OD, M8 k	(nockout Size	10 ¿ Each	10
1	1174N608	Oil-Resistant Soft Buna-N O-Rings, 3 mm Wide, 30 mm ID, Packs of 10		1 Pack	1
,	897A59	val Grip Pull Handle with Threaded Holes, Aluminum, 4-9/16" Center-to-Ce	enter Width	4 Each	4
V		302 Stainless Steel Corrosion-Resistant Compression Springs, 1.375" Long 0.419" ID, Packs of 6	, 0.563" OD,	1 Pack	1
1/	90967A210	External Retaining Ring for 17 mm OD, DIN 1.4122 Stainless Steel, Packs of	of 5	2 i Packs	2
2		Medium-Strength Grade 5 Steel Hex Head Screw, Zinc-Plated, 5/16"-18 Thr Long, Partially Threaded, Packs of 10	ead, 2-3/4"	2 Packs	2
3/	90692A693	Zinc-Plated Steel Slotted Spring Pins, 1/8" Diameter, 7/16" Long, Packs of 2	:50	1 Pack	1
4 /		Zinc Yellow-Chromate Plated Hex Head Screw, Grade 8 Steel, 7/8"-14 Thre Long, Packs of 1	ad Size, 2"	8 Packs	8
511	93286A044	Muminum Washer, Oversized, 1/4" Screw Size, 0.261" ID, 0.5" OD, Packs of	if 5	3 - Packs	3
6 9		External Retaining Ring for 7/8" OD, Black-Phosphate 1060-1090 Spring Ste	el, Packs of	1 Pack	1
7/	97633A475	External Retaining Ring for 2-7/8" OD, Black-Phosphate 1060-1090 Spring S	Steel, Packs of	2 Packs	2
9 U		Medium-Strength Steel Locknut for Use with Cotter Pins, Grade 5, 3/4"-10 T Packs of 5	hread Size,	2 Packs	2
0 9		18-8 Stainless Steel Mil. Spec. Washer, Passivated, 3/4" Screw Size, NAS 1 Packs of 10	149-C1290R,	1 Pack	1
1 8	8582K48	White Delrin® Acetal Resin Rod, 6" Long, 6" Diameter		2 Each	2

200 Aurora Industrial Pkwy Aurora OH 44202-8087 330-995-5500 cle.sales@mcmaster.com Dart Aerospace Ltd 1270 Aberdeen St Hawkesbury ON K6A 1K7 Canada Purchase Order PO041296 Order Placed By Chantal Lavoie

2439091-03

McMaster-Carr Number

Page 2 of 2 10/10/2018

Line Description Ordered Shipped

Shipped separately from our Chicago warehouse on 10/10

1 90263A112 316 Stainless Steel Precision Shoulder Screw, 3 mm Shoulder Diameter, 3 mm Shoulder
Length, M2 x 0.4 mm Thread

10 4
Each

18 2092A42 Plunger-Style Variance Indicator, Plus/Minus Dial, Plain, 0" to 1" Range, AGD Group 2
Expected to ship

7 **85195A999** Giant Swiss Arm Only, 19" Total Height #16823 **1** Oct 17-23 **Each**

McMASTER-CARR.

10/15/2018

White Delrin® Acetal Resin Rod

\$114.26 Each 8582K48

6" Long, 6" Diameter



Material	Delrin® Acetal Plastic
Cross Section Shape	Round
Construction	Solid
Texture	Smooth
Color	White
Clarity	Opaque
Diameter	9
Diameter Tolerance	0" to +0.250"
Tolerance Rating	Oversized
Length	.9
Hardness	Rockwell M90
Hardness Rating	Hard
For Use Outdoors	ON
Temperature Range	-20° to 180° F

10/15/2018

Impact Strength	1.00 ftlbs./in.	
Impact Strength Rating	Good	
Tensile Strength	9,000 psi	
Tensile Strength Rating	Good	
Specifications Met	ASTM D6100, NSF/ANSI Standard 51 for F. NSF/ANSI Standard 61 for Drinking Water	ASTM D6100, NSF/ANSI Standard 51 for Food Contact, NSF/ANSI Standard 61 for Drinking Water
Density	0.051 lbs./cu. in.	
Coefficient of Friction	0.20	
Dielectric Strength	435 V/mil	
Water Absorption	0.30%	
Coefficient of Thermal Expansion	8.5 × 10 ⁻⁵ in./in./°F	
RoHS	Compliant	

SCALE REV. B SHEET 1 OF 1 17.10.19 COPHYGH TO 2001 BY DARY AEROSPACE LTD TO THE STORY OF THE 01.11.12 BY DATE DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA SAD SO SAD DART AEROSPACI
SAD HAWKESBURY, OHTARIO, C.
RE DRAWING NO.
RE M-DELRIN-R
HS TITLE
CP 47 DELRIN ROUND BAR UPDATE DRAWING TO CURRENT STANDARDS, ADD MATERIAL COLOR "WHITE", ADD REASON CIR. 110. ADD "ACETRON GP ACETAL" AS OPTION (REV. A1). DATE 17.10.19 NEW ISSUE MFG. APPR. APPROVED CHECKED DESIGN APPROVED SPECIFICATION CONTROL DRAWING Constitution Conference on the Conference of the 2018 NAR 27 47 En 18-657 ,0 32 WHERE D.DDD = DIAMETER IN INCHES \nearrow x = COLOR CODE, 'W' = WHITE, OMITTED = BLACK EG. 1" BLACK ROUND BAR = M-DELRIN-R1.000 2" WHITE ROUND BAR = M-DELRIN-R2.000W PURCHASE MATERIAL DELRINII 1506 OR ACETRON GP ACETAL M-DELRIN-R D.DDD X COLOR B CODE PART NUMBER:

0

2

3

w

0

00)

0

U

U